



May 27, 2004

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 6-11-9-17, 1-9-9-18, 3-9-9-18, 5-9-9-18, 7-9-9-18, 9-9-9-18, and 11-9-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,


Mandie Crozier
Regulatory Specialist

mc
enclosures

RECEIVED
MAY 28 2004
DIV. OF OIL, GAS & MINING

001

Form 3160-3
(September 2001)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0136
Expires January 31, 2004

5. Lease Serial No. UTU-79013
6. If Indian, Allottee or Tribe Name N/A
7. If Unit or CA Agreement, Name and No. N/A
8. Lease Name and Well No. Federal 6-11-9-17
9. API Well No. 43047-35769
10. Field and Pool, or Exploratory Monument Butte Eight Mile Flat North
11. Sec., T., R., M., or Blk. and Survey or Area SE/NW Sec. 11, T9S R17E
12. County or Parish Uintah
13. State UT
14. Distance in miles and direction from nearest town or post office* Approximatley 15.4 miles southeast of Myton, Utah
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 594' f/lse, NA f/unit
16. No. of Acres in lease 1,000.00
17. Spacing Unit dedicated to this well 40 Acres
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1339'
19. Proposed Depth 6500'
20. BLM/BIA Bond No. on file UTU0056
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5070' GL
22. Approximate date work will start* 1st Quarter 2005
23. Estimated duration Approximately seven (7) days from spud to rig release.

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone
2. Name of Operator Inland Production Company
3a. Address Route #3 Box 3630, Myton UT 84052
3b. Phone No. (include area code) (435) 646-3721
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SE/NW 2046' FNL 2082' FWL 587406 X 40.04703 At proposed prod. zone 4433270 Y -109.97536
14. Distance in miles and direction from nearest town or post office* Approximatley 15.4 miles southeast of Myton, Utah
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 594' f/lse, NA f/unit
16. No. of Acres in lease 1,000.00
17. Spacing Unit dedicated to this well 40 Acres
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1339'
19. Proposed Depth 6500'
20. BLM/BIA Bond No. on file UTU0056
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5070' GL
22. Approximate date work will start* 1st Quarter 2005
23. Estimated duration Approximately seven (7) days from spud to rig release.

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification. |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature <i>Mandie Crozier</i>	Name (Printed/Typed) Mandie Crozier	Date 5/27/04
Title Regulatory Specialist		
Approved by (Signature) <i>Bradley G. Hill</i>	Name (Printed/Typed) BRADLEY G. HILL	Date 06-14-04
Title ENVIRONMENTAL SCIENTIST III		

Federal Approval of this
Action is NecessaryApplication approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

RECEIVED


MAY 28 2004

DIV. OF OIL, GAS & MINING


T9S, R17E, S.L.B.&M.

INLAND PRODUCTION COMPANY

WELL LOCATION, FEDERAL 6-11-9-17,
LOCATED AS SHOWN IN THE SE 1/4 NW
1/4 OF SECTION 11, T9S, R17E,
S.L.B.&M. UTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS
PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS
MADE BY ME OR UNDER MY SUPERVISION AND THAT
THE SAME ARE TRUE AND CORRECT TO THE BEST OF
MY KNOWLEDGE AND BELIEF.



TRI STATE LAND SURVEYING & CONSULTING
180 NORTH VERNAL AVENUE - VERNAL, UTAH 84078
(435) 781-2501

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

SCALE: 1" = 1000'	SURVEYED BY: D.J.S.
DATE: 3-8-04	DRAWN BY: J.R.S.
NOTES:	FILE #

Well No.: Federal 6-11-9-17

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Federal 6-11-9-17

API Number:

Lease Number: UTU-79013

Location: SE/NW Sec. 11, T9S R17E

SURFACE USE PROGRAM
CONDITIONS OF APPROVAL

CULTURAL RESOURCES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

PALEONTOLOGICAL RESOURCES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

SOILS, WATERSHEDS, AND FLOODPLAINS

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

WILDLIFE AND FISHERIES

See *DIAMOND MOUNTAIN RESOURCE AREA RESOURCE MANAGEMENT PLAN AND RECORD OF DECISION* (Fall 1994).

INLAND PRODUCTION COMPANY
FEDERAL #6-11-9-17
SE/NW SECTION 11, T9S, R17E
UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. **GEOLOGIC SURFACE FORMATION:**

Uinta formation of Upper Eocene Age

2. **ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:**

Uinta	0' – 1640'
Green River	1640'
Wasatch	5875'

3. **ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:**

Green River Formation 1640' – 6500' - Oil

4. **PROPOSED CASING PROGRAM**

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. **MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:**

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. **TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:**

Please refer to the Monument Butte Field SOP.

7. **AUXILIARY SAFETY EQUIPMENT TO BE USED:**

Please refer to the Monument Butte Field SOP.

8. **TESTING, LOGGING AND CORING PROGRAMS:**

Please refer to the Monument Butte Field SOP.

9. **ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:**

The anticipated maximum bottom hole pressure is 2000 psi. It is not anticipated that abnormal temperatures will be encountered.

10. **ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:**

Please refer to the Monument Butte Field SOP.

INLAND PRODUCTION COMPANY
FEDERAL #6-11-9-17
SE/NW SECTION 11, T9S, R17E
UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. **EXISTING ROADS**

See attached Topographic Map "A"

To reach Inland Production Company well location site Federal #6-11-9-17 located in the SE 1/4 NW 1/4 Section 11, T9S, R17E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 10.0 miles \pm to its junction with an existing road to the southeast; proceed southeasterly - 2.0 miles \pm to its junction with the beginning of the proposed access road; proceed northeasterly along the proposed access road 170' \pm to the proposed well location.

2. **PLANNED ACCESS ROAD**

See Topographic Map "B" for the location of the proposed access road.

3. **LOCATION OF EXISTING WELLS**

Refer to Exhibit "B".

4. **LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. **LOCATION AND TYPE OF WATER SUPPLY**

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. **SOURCE OF CONSTRUCTION MATERIALS**

Please refer to the Monument Butte Field SOP.

7. **METHODS FOR HANDLING WASTE DISPOSAL**

Please refer to the Monument Butte Field SOP.

8. **ANCILLARY FACILITIES**

Please refer to the Monument Butte Field SOP.

9. **WELL SITE LAYOUT**

See attached Location Layout Diagram.

10. **PLANS FOR RESTORATION OF SURFACE**

Please refer to the Monument Butte Field SOP.

11. **SURFACE OWNERSHIP** - Bureau Of Land Management

12. **OTHER ADDITIONAL INFORMATION**

The Archaeological Resource Survey and Paleontological Resource Survey for this area have been previously submitted and are file with the Bureau of Land Management, Vernal Fiel Office. AERC Project #1597 (CNG98-3B), 4/20/98. Paleontological Resource Survey prepared by, Wade E. Miller, 5/8/03. See attached report cover pages, Exhibit "D".

Inland Production Company requests 50' of disturbed area be granted for the Federal #6-11-9-17 to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Inland's secondary recovery project.

Water not meeting quality criteria, is disposed at Inland's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Reserve Pit Liner

A 12 mil liner is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Gardner Saltbush	<i>Artiplex gardneri</i>	4 lbs/acre
Galleta grass	<i>Artiplex canescens</i>	4 lbs/acre
Green Molly Sumer Cyress	<i>Kochia American</i>	4 lbs/acre

Details of the On-Site Inspection

The proposed Federal #6-11-9-17 was on-sited on 10/9/03. The following were present; Brad Mecham (Inland Production), Byron Tolman (Bureau of Land Management), and SWCA representatives. Weather conditions were clear.

13. **LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION**

Representative

Name: Brad Mecham

Address: Route #3 Box 3630
Myton, UT 84052

Telephone: (435) 646-3721


Certification

Please be advised that INLAND PRODUCTION COMPANY is considered to be the operator of well #6-11-9-17 SE/NW Section 11, Township 9S, Range 17E: Lease UTU-79013 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

5/27/04

Date





Mandie Crozier
Regulatory Specialist

INLAND PRODUCTION COMPANY

FEDERAL 6-11-9-17

Section 11, T7S, R17E, S.L.B.&M.

9



REFERENCE POINTS

180' EAST = 5061.9'
230' EAST = 5061.4'
180' NORTH = 5055.6'
230' NORTH = 5054.4'

SURVEYED BY: D.J.S.

SCALE: 1" = 50'

DRAWN BY: J.R.S.

DATE: 3-8-04

Tri State
Land Surveying, Inc.





(435) 781-2501

180 NORTH VERNAL AVE. VERNAL, UTAH 84078

INLAND PRODUCTION COMPANY

CROSS SECTIONS

FEDERAL 6-11-9-17



NOTE:
UNLESS OTHERWISE NOTED
ALL CUT/FILL SLOPES ARE
AT 1.5:1

ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	3,250	3,250	Topsoil is not included in Pad Cut	0
PIT	640	0		640
TOTALS	3,890	3,250	890	640

SURVEYED BY: D.J.S.

SCALE: 1" = 50'

DRAWN BY: J.R.S.

DATE: 3-8-04

Tri State
Land Surveying, Inc.


(435) 781-2501

180 NORTH VERNAL AVE. VERNAL, UTAH 84078

INLAND PRODUCTION COMPANY

TYPICAL RIG LAYOUT

FEDERAL 6-11-9-17



SURVEYED BY: D.J.S.


SCALE: 1" = 50'

DRAWN BY: J.R.S.

DATE: 3-8-04

Tri State
Land Surveying, Inc.
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

(435) 781-2501



Federal 6-11-9-17
SEC. 11, T9S, R17E, S.L.B.&M.



Tri-State
Land Surveying Inc.
 (435) 781-2501
 180 North Vernal Ave. Vernal, Utah 84078


SCALE: 1 = 100,000
 DRAWN BY: bgm
 DATE: 03-22-2004

Legend

Existing Road
 Proposed Access

TOPOGRAPHIC MAP

"A"



Federal 6-11-9-17
SEC. 11, T9S, R17E, S.L.B.&M.



Tri-State
Land Surveying Inc.
 (435) 781-2501
 180 North Vernal Ave. Vernal, Utah 84078


SCALE: 1" = 2,000'
 DRAWN BY: bgm
 DATE: 03-22-2004


Legend

— Road
 - - - Proposed Gas Line

TOPOGRAPHIC MAP

"C"





Federal 6-11-9-17
SEC. 11, T9S, R17E, S.L.B.&M.



Tri-State
Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'
DRAWN BY: bgm
DATE: 03-22-2004

Legend

- Well Locations
- One-Mile Radius

Exhibit "B"

2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

Page 1 of 2

CULTURAL RESOURCE EVALUATION OF 16 PROPOSED INLAND UNITS IN THE SOUTH WELLS DRAW -- CASTLE PEAK DRAW -- PARIETTE BENCH LOCALITIES OF UINTAH & DUCHESNE COUNTIES, UTAH

Report Prepared for Inland Resources, Inc.

Units 6-10(9-16), 13-10(9-16), 7-36(8-17), 11-36(8-17), 1-35(8-17), 7-35(8-17), 9-35(8-17)
9-2(9-17), 15-2(9-17), 16-2(9-17), 1-11(9-17), 2-11(9-17), 3-11(9-17), 6-11(9-17), 7-11(9-17),
& 8-11(9-17)

Department of Interior Permit No.: UT-98-54937

Utah State Project No.: UT-98-AF-0166bs

AERC Project 1597 (CNG98-3B)

Author of the Report:

F. Richard Hauck



ARCHEOLOGICAL-ENVIRONMENTAL RESEARCH CORPORATION

181 North 200 West, Suite 5 -- Bountiful, Utah 84010

P.O. Box 853, Bountiful, Utah 84011

Phone: (801) 292-7061, 292-9668 FAX: (801) 292-0614

E-mail: ari@arission.com Web page: www.ari-aerc.org

April 20, 1998

INLAND RESOURCES, INC.

**PALEONTOLOGICAL FIELD SURVEY OF PROPOSED
PRODUCTION DEVELOPMENT AREAS,
DUCHESNE AND Uintah COUNTIES, UTAH**

(South $\frac{1}{2}$ Section 6, T 9 S, R 18 E; South $\frac{1}{2}$ Section 1, T 9 S, 17 R E;
all of Sections 11 and 12, the NW, SE & NE quarters of the SW $\frac{1}{4}$ Section 10;
the NE $\frac{1}{4}$ & SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ Section 9, T 9 S, R 17 E and the SE $\frac{1}{4}$, SW $\frac{1}{4}$,
NE $\frac{1}{4}$ and SE $\frac{1}{4}$ of the SE $\frac{1}{4}$, Section 33, T 8 S, R 17 E.)

REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.

Prepared by:

Wade E. Miller
Consulting Paleontologist
May 8, 2003

003

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 05/28/2004

API NO. ASSIGNED: 43-047-35769

WELL NAME: FEDERAL 6-11-9-17

OPERATOR: INLAND PRODUCTION (N5160)

CONTACT: MANDIE CROZIER

PHONE NUMBER: 435-646-3721

PROPOSED LOCATION:

SENW 11 090S 170E

SURFACE: 2046 FNL 2082 FWL

BOTTOM: 2046 FNL 2082 FWL

UINTAH

8 MILE FLAT NORTH (590)

LEASE TYPE: 1 - Federal

LEASE NUMBER: UTU-79013

SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: GRRV

COALBED METHANE WELL? NO

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LATITUDE: 40.04703

LONGITUDE: 109.97536

RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Fed[1] Ind[] Sta[] Fee[]
(No. UT 0056)
☒ Potash (Y/N)
☒ Oil Shale 190-5 (B) or 190-3 or 190-13
☒ Water Permit
(No. MUNICIPAL)
☒ RDCC Review (Y/N)
(Date:)
☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

R649-2-3.

Unit

☒ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
R649-3-3. Exception
Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
R649-3-11. Directional Drill

COMMENTS:

See Separate file

STIPULATIONS:

1- Federal Approval
2- Spacing Strip



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

June 14, 2004

Inland Production Company
Rt. #3, Box 3630
Myton, UT 84052

Re: Federal 6-11-9-17 Well, 2046' FNL, 2082' FWL, SE NW, Sec. 11, T. 9 South,
R. 17 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35769.

Sincerely,

A handwritten signature in black ink, appearing to read "John R. Baza".
John R. Baza
Associate Director

pab
Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Inland Production Company
Well Name & Number Federal 6-11-9-17
API Number: 43-047-35769
Lease: UTU-79013

Location: SE NW Sec. 11 T. 9 South R. 17 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office
From: Acting Chief, Branch of Fluid Minerals
Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		



Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer

OPERATOR CHANGE WORKSHEET

010

Change of Operator (Well Sold)

Designation of Agent/Operator

ROUTING

1. GLH

2. CDW

3. FILE

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

9/1/2004

FROM: (Old Operator):

N5160-Inland Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

TO: (New Operator):

N2695-Newfield Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
FEDERAL 6-11-9-17	11	090S	170E	4304735769		Federal	OW	APD	K
STATE 1-2-9-18	02	090S	180E	4304735773		State	OW	APD	K
STATE 2-2-9-18	02	090S	180E	4304735774		State	OW	APD	K
STATE 3-2-9-18	02	090S	180E	4304735775		State	OW	APD	K
STATE 4-2-9-18	02	090S	180E	4304735776		State	OW	APD	K
STATE 5-2-9-18	02	090S	180E	4304735777	14389	State	OW	P	K
STATE 6-2-9-18	02	090S	180E	4304735778		State	OW	APD	K
STATE 16-2-9-18	02	090S	180E	4304735779		State	OW	APD	K
STATE 15-2-9-18	02	090S	180E	4304735780		State	OW	APD	K
STATE 14-2-9-18	02	090S	180E	4304735781		State	GW	APD	K
STATE 13-2-9-18	02	090S	180E	4304735782		State	OW	APD	K
STATE 12-2-9-18	02	090S	180E	4304735783		State	OW	APD	K
STATE 10-2-9-18	02	090S	180E	4304735784		State	OW	APD	K
STATE 9-2-9-18	02	090S	180E	4304735785		State	OW	APD	K
STATE 8-2-9-18	02	090S	180E	4304735786		State	OW	APD	K
FEDERAL 9-9-9-18	09	090S	180E	4304735764		Federal	OW	APD	K
FEDERAL 7-9-9-18	09	090S	180E	4304735765		Federal	OW	APD	K
FEDERAL 5-9-9-18	09	090S	180E	4304735766		Federal	OW	APD	K
FEDERAL 3-9-9-18	09	090S	180E	4304735767		Federal	OW	APD	K
FEDERAL 1-9-9-18	09	090S	180E	4304735768		Federal	OW	APD	K

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/20054. Is the new operator registered in the State of Utah: YES Business Number: 755627-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 2/28/2005
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05

RECEIVED

MAY 28 2004

BLM VERNAL, UTAH

005

Form 3160-3
(September 2001)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0136
Expires January 31, 2004

5. Lease Serial No. UTU-79013
6. If Indian, Allottee or Tribe Name N/A
7. If Unit or CA Agreement, Name and No. N/A
8. Lease Name and Well No. Federal 6-11-9-17
9. API Well No. 43-047-35769
10. Field and Pool, or Exploratory Monument Butte
11. Sec., T., R., M., or Blk. and Survey or Area SE/NW Sec. 11, T9S R17E
12. County or Parish Uintah
13. State UT
14. Distance in miles and direction from nearest town or post office* Approximatley 15.4 miles southeast of Myton, Utah
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 594' f/lse, NA f/unit
16. No. of Acres in lease 1,000.00
17. Spacing Unit dedicated to this well 40 Acres
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1339'
19. Proposed Depth 6500'
20. BLM/BIA Bond No. on file UTU0056
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5070' GL
22. Approximate date work will start* 1st Quarter 2005
23. Estimated duration Approximately seven (7) days from spud to rig release.

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification. |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature <i>Mandie Crozier</i>	Name (Printed/Typed) Mandie Crozier	Date 5/27/04
Title Regulatory Specialist		
Approved by (Signature) <i>Thomas R. Clavner</i>	Name (Printed/Typed)	Date 10/21/2004
Title Assistant Field Manager Mineral Resources	Office	

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would enable the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

RECEIVED
NOV 01 2004
DIV. OF OIL, GAS & MINING

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

UDOG/M

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company
Well Name & Number: FEDERAL 6-11-9-17
API Number: 43-047-35769
Lease Number: UTU - 79013
Location: SEnw Sec. 11 TWN: 09S RNG: 17E
Agreement: N/A

RECEIVED
NOV 01 2004
DIV. OF OIL, GAS & MINING

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at $\pm 2,138$ ft.

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company.

API Number _____

Well Name & Number: Federal 6-11-9-17

Lease Number: U-79013

Location: SESW Sec. 11 T. 9 S. R. 17 E.

Surface Ownership: BLM

Date NOS Received: None

Date APD Received: 5-28-04

~~None~~

DIVISION OF OIL, GAS AND MINING**SPUDDING INFORMATION**Name of Company: NEWFIELD PRODUCTION COMPANYWell Name: FEDERAL 6-11-9-17Api No: 43-047-35769 Lease Type: FEDERALSection 11 Township 09S Range 17E County UINTAHDrilling Contractor ROSS DRILLING RIG # 21**SPUDDED:**Date 03/02/05Time 10:00 AMHow DRY**Drilling will commence:** _____Reported by FLOYD MITCHELLTelephone # 1-435-823-3610Date 03/04/2005 Signed CHD

007

RECEIVED

MAR 04 2005

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

DIV. OF OIL, GAS & MINING

OPERATOR: NEWFIELD PRODUCTION COMPANY
ADDRESS: RT. 3 BOX 3630
MYTON, UT 84052

OPERATOR ACCT. NO. N2695

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	14595	43-047-35769	Federal 6-11-9-17	SE/NW	11	9S	17E	Uintah	March 2, 2005	3/10/05
WELL 1 COMMENTS: <i>GRUV</i>											
A	99999	14596	43-013-32363	Fenceline Federal 3-24-8-16	NE/NW	24	8S	16E	Duchesne	March 2, 2005	3/10/05
WELL 2 COMMENTS: <i>GRUV</i>											
A	99999	14597	43-013-32362	Fenceline Federal 6-24-8-16	SE/NW	24	8S	16E	Duchesne	March 3, 2005	3/10/05
WELL 3 COMMENTS: <i>GRUV</i>											
A	99999	14598	43-013-32484	Ashley Federal 5-24-9-15	SW/NW	24	9S	15E	Duchesne	March 4, 2005	3/10/05
WELL 4 COMMENTS: <i>GRUV</i>											
no pa											
A	99999										
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/05)

Kebbie S. Jones
Signature
Kebbie S. Jones
Production Clerk
March 4, 2005
Date

K

K

K

K

K

K

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

008

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Newfield Production Company

3a. Address Route 3 Box 3630
Myton, UT 84052

3b. Phone No. (include area code)
435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2046 FNL 2082 FWL
SE/NW Section 11 T9S R17E

5. Lease Serial No.

UTU79013

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

FEDERAL 6-11-9-17

9. API Well No.

4304735769

10. Field and Pool, or Exploratory Area
Monument Butte

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Spud Notice _____
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

On 03/02/05 MIRU Ross Rig # 21. Spud well @ 10:00 AM. Drill 300' of 12 1/4" hole with air mist. TIH W/ 7 Jt's 8 5/8" J-55 24 # csgn. Set @ 313.75' KB On 03/03/05 cement with 160 sks of class "G" w/ 3% CaCL2 + 1/4# sk Cello- Flake Mixed @ 15.8 ppg > 1.17 cf/ sk yeild. Returned 3 bbls cement to pit. WOC.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

I hereby certify that the foregoing is true and correct

Name (Printed/ Typed)
Floyd Mitchell

Title

Drilling Supervisor

Signature

Floyd Mitchell

Date

3/3/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations or to attempt to do so within its jurisdiction

(Instructions on reverse)

MAR 0 / 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

009

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Newfield Production Company

3a. Address Route 3 Box 3630
Myton, UT 84052

3b. Phone (include area code)
435.646.3721

4. Location of (Footage, Sec., T., R., M., or Survey Description)
2046 FNL 2082 FWL
SE/NW Section 11 T9S R17E

5. Lease Serial No.

UTU79013

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or

8. Well Name and No.

FEDERAL 6-11-9-17

9. API Well No.

4304735769

10. Field and Pool, or Exploratory Area
Monument Butte

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Weekly Status Report
	<input type="checkbox"/> Convert to	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

On 3-11-05 MIRU NDSI Rig # 2. Set all equipment. Pressure test Kelly, TIW, Choke manifold, & Bop's to 2,000 psi. Test 8.625 csgn to 1,500 psi. Vernal BLM field, & Roosevelt DOGM office was notified of test. PU BHA and tag cement @ 259'. Drill out cement & shoe. Drill a 7.875 hole with fresh water to a depth of 5794'. Lay down drill string & BHA. Open hole log w/ Dig/SP/GR log's TD to surface. PU & TIH with Guide shoe, shoe jt, float collar, 128 jt's of 5.5 J-55, 15.5# csgn. Set @ 5784' / KB. Cement with 285 sks cement mixed @ 11.0 ppg & 3.43 yld. Then 400 sks cement mixed @ 14.4 ppg & 1.24 yld. With 15 bbls cement returned to pit. Nipple down Bop's. Drop slips @ 79,000 #'s tension. Release rig 6:00 am on 3-17-05.

RECEIVED

MAR 22 2005

DIV. OF OIL, GAS & MINING

I hereby certify that the foregoing is true and
correct (Printed/ Typed)
Ray Herrera

Signature

Ray Herrera

Title

Drilling Foreman

Date

3/18/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or
certify that the applicant holds legal or equitable title to those rights in the subject lease
which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United
States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

011

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Newfield Production Company

3a. Address Route 3 Box 3630

Myton, UT 84052

3b. Phone No. (include area code)

435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2046 FNL 2082 FWL

SE/NW Section 11 T9S R17E

5. Lease Serial No.

UTU79013

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

FEDERAL 6-11-9-17

9. API Well No.

4304735769

10. Field and Pool, or Exploratory Area

Monument Butte

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Weekly Status Report
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Status report for time period 03/30/05-04/18/05

Subject well had completion procedures initiated in the Green River formation on 03/30/05 without the use of a service rig over the well. A cement bond log was run and a total of five Green River intervals were perforated and hydraulically fracture treated w/ 20/40 mesh sand. Perf intervals were #1 (5570-5574'), (5528-5534'), (5432-5437'), (5422-5426'), (5374-5380') (All 4 JSPF); #2 (5016-5023'), (4986-4992'), (4952-4956'), (4824-4828'), (All 4 JSPF); #3 (4679-4696') (4 JSPF); #4 (4559-4572') (4 JSPF); #5 (4032-4038'), (4009-4018') (All 4 JSPF). Composite flow-through frac plugs were used between stages. Fracs were flowed back through chokes. A service rig was moved on well on 04/13/05. Bridge plugs were drilled out. Well was cleaned out to PBTD @ 5738'. Zones were swab tested for sand cleanup. A BHA & production tbq string were run in and anchored in well. End of tubing string @ 5642'. A 1 1/2" bore rod pump was run in well on sucker rods. Well was placed on production via rod pump on 04/18/05.

I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Tara Kinney

Title

Production Clerk

Signature

Tara Kinney

Date

04/19/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Date

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

RECEIVED
APR 20 2005
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

012

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Newfield Production Company

3a. Address Route 3 Box 3630

Myton, UT 84052

3b. Phone No. (include area code)

435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2046 FNL 2082 FWL

SE/NW Section 11 T9S R17E

5. Lease Serial No.

UTU79013

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

FEDERAL 6-11-9-17

9. API Well No.

4304735769

10. Field and Pool, or Exploratory Area
Monument Butte

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Variance _____
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Newfield Production Company is requesting a variance from Onshore Order 43 CFR Part 3160 Section 4 requiring production tanks to be equipped with Enardo or equivalent vent line valves. Inland operates wells that produce from the Green River formation, which are relatively low gas producers (20 mcfpd). The majority of the wells are equipped with a three phase separator to maximize gas separation and sales.

Newfield is requesting a variance for safety reasons. Crude oil production tanks equipped with back pressure devices will emit a surge of gas when the thief hatches are open. While gauging tanks, lease operators will be subject to breathing toxic gases as well as risk a fire hazard, under optimum conditions

COPY SENT TO OPERATOR
Date: 4/22/05
Initials: C/HO

I hereby certify that the foregoing is true and correct

Name (Printed/Typed)
Mandie Crozier

Title

Regulatory Specialist

Signature

Date

04/19/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Accepted by the
Utah Division of
Oil, Gas and Mining

Date

By:

Federal Approval of This
Action is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any statement or representation as to any matter within its jurisdiction

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

013

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Newfield Production Company

3a. Address Route 3 Box 3630

Myton, UT 84052

3b. Phone No. (include area code)

435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2046 FNL 2082 FWL

SE/NW Section 11 T9S R17E

5. Lease Serial No.

UTU79013

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

FEDERAL 6-11-9-17

9. API Well No.

4304735769

10. Field and Pool, or Exploratory Area

Monument Butte

11. County or Parish, State

Uintah, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Formation water is produced to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

RECEIVED
APR 20 2005
DIV. OF OIL, GAS & MINING

I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Mandie Crozier

Title

Regulatory Specialist

Signature

Date

04/19/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

(See other in-
structions on
reverse side)

OMB NO. 1004-0137

Expires: February 28, 1995

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WORK

OIL
WELLGAS
WELL

DRY



Other

1b. TYPE OF WELL

NEW
WELLWORK
OVER

DEEPEN

PLUG
BACKDIFF
RESVR.

Other

2. NAME OF OPERATOR

Newfield Exploration Company

3. ADDRESS AND TELEPHONE NO.

1401 17th St. Suite 1000 Denver, CO 80202

4. LOCATION OF WELL (Report locations clearly and in accordance with any State requirements.)*

At Surface

2046' FNL & 2082' FWL (SE/NW) Sec. 11, T9S, R17E

At top prod. Interval reported below

At total depth

14. API NO.

43-047-35769

DATE ISSUED

6/14/04

12. COUNTY OR PARISH

Uintah

13. STATE

UT

15. DATE SPUDDED

3/2/05

16. DATE T.D. REACHED

3/17/05

17. DATE COMPL. (Ready to prod.)

4/18/05

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

5070' GL

KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5794'

21. PLUG BACK T.D., MD & TVD

5738'

22. IF MULTIPLE COMPL.,

HOW MANY*

23. INTERVALS

DRILLED BY

----->

ROTARY TOOLS

X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)*

Green River 4009'-5574'

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Dual Induction Guard, SP, Compensated Density, Compensated Neutron, GR, Caliper, Cement Bond Log

27. WAS WELL CORED

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" - J-55	24#	314'	12-1/4"	To surface with 160 sx Class "G" cmt	
5-1/2" - J-55	15.5#	5784'	7-7/8"	285 sx Premlite II and 400 sx 50/50 Poz	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	EOT @ 5642'	TA @ 5504'

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

INTERVAL	SIZE	SPF/NUMBER	ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
(CP1,2,3&4) 5374'-5380', 5422'-5426', 5432'-5437', 5528'-5534', 5570'-5574'	.41"	4/100	5374'-5574' Frac w/ 65,731# 20/40 sand in 523 bbls fluid
B2,A1,&3) 4824'-4828', 4952'-4956', 4986'-4992'	.41"	4/84	4824'-4992' Frac w/ 59,954# 20/40 sand in 485 bbls fluid
(C) 4679'-4696'	.41"	4/68	4679'-4696' Frac w/ 85,142# 20/40 sand in 622 bbls fluid
(D2) 4559'-4572'	.41"	4/52	4559'-4572' SDS would not breakdown
(GB4&6) 4009'-4018', 4032'-4038'	.41"	4/60	4009'-4038' Frac w/ 67,072# 20/40 sand in 494 bbls fluid

33.* PRODUCTION

DATE FIRST PRODUCTION 4/18/05		PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) 2-1/2" x 1-1/2" x 15' RHAC SM Plunger Pump					WELL STATUS (Producing or shut-in) PRODUCING	
DATE OF TEST 10 day ave		HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD ----->	OIL--BBL. 60	GAS--MCF. 17	WATER--BBL. 104	GAS-OIL RATIO 283
FLOW, TUBING PRESS.		CASING PRESSURE	CALCULATED 24-HOUR RATE ----->	OIL--BBL.	GAS--MCF.	WATER--BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold & Used for Fuel

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available data and

SIGNED

Mandie Crozier

TITLE

Regulatory Specialist

DATE

6/3/2005

MC

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
			Well Name Federal 6-11-9-17	Garden Gulch Mkr	3540'	
				Garden Gulch 1	3722'	
				Garden Gulch 2	3836'	
				Point 3 Mkr	4097'	
				X Mkr	4332'	
				Y-Mkr	4368'	
				Douglas Creek Mkr	4491'	
				BiCarbonate Mkr	4732'	
				B Limestone Mkr	4858'	
				Castle Peak	5312'	
				Basal Carbonate	5729'	
				Total Depth (LOGGERS)	5794'	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

June 30, 2005

Newfield Production Company
Attn: Kelly L. Donohoue
1401 Seventeenth Street, Suite 1000
Denver, Colorado 80202

Gentlemen:

The Sundance (Green River) Unit Agreement, Uintah County, Utah, was approved June 30, 2005. This agreement has been designated No. UTU82472X, and is effective July 1, 2005. The unit area embraces 11,143.86 acres, more or less.

Pursuant to regulations issued and effective June 17, 1988, all operations within the Sundance (Green River) Unit will be covered by your nationwide (Utah) oil and gas bond No. 0056.

The following leases embrace lands included within the unit area:

UTU0075174	UTU39713	UTU65970*	UTU79013*
UTU16539*	UTU39714	UTU74404	UTU79014*
UTU16540	UTU44429	UTU74835	UTU80915
UTU17424*	UTU64806*	UTU74872*	UTU82205
UTU18043	UTU65969	UTU75234	

* Indicates lease to be considered for segregation by the Bureau of Land Management pursuant to Section 18 (g) of the unit agreement and Public Law 86-705.

All lands and interests by State of Utah, Cause No. 228-08 are fully committed.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

RECEIVED

JUL 0 / 2005

DIV. OF OIL, GAS & MINING

*Docket No
2005-009*

We are of the opinion that the agreement is necessary and advisable in the public interest and for the purpose of more properly conserving natural resources. Certification-Determination, signed by the School and Institutional Trust Land Administration for the State of Utah, is attached to the enclosed agreement. We request that you furnish the State of Utah and all other interested principals with appropriate evidence of this approval.

Sincerely,

/s/ Terry Catlin

Terry Catlin
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Mary Higgins w/enclosure
MMS - Data Management Division (Attn: James Sykes)
Trust Lands Administration
Division of Oil, Gas and Mining
Field Manager - Vernal w/enclosure
File - Sundance (Green River) Unit w/enclosure
Agr. Sec. Chron
Fluid Chron
Central Files

UT922:TAThompson:tt:06/30/2005

Entity Form 6

"C" Change from one existing entity to another existing entity

API	Well	Sec	Twsp	Rng	Entity	Entity Eff Date
4304734465	SUNDANCE 15-32-8-18	32	080S	180E	13978 to 14844	9/20/2005
4304734466	SUNDANCE 16-32-8-18	32	080S	180E	14028 to 14844	9/20/2005
4304735090	FEDERAL 10-1-9-17	01	090S	170E	14421 to 14844	9/20/2005
4304735179	FEDERAL 9-1-9-17	01	090S	170E	14075 to 14844	9/20/2005
4304735180	FEDERAL 11-1-9-17	01	090S	170E	14105 to 14844	9/20/2005
4304735181	FEDERAL 13-1-9-17	01	090S	170E	14101 to 14844	9/20/2005
4304735182	FEDERAL 15-1-9-17	01	090S	170E	14094 to 14844	9/20/2005
4304735496	FEDERAL 16-1-9-17	01	090S	170E	14481 to 14844	9/20/2005
4304735156	FEDERAL 1-11-9-17	11	090S	170E	14321 to 14844	9/20/2005
4304735157	FEDERAL 7-11-9-17	11	090S	170E	14249 to 14844	9/20/2005
4304735158	FEDERAL 9-11-9-17	11	090S	170E	14250 to 14844	9/20/2005
4304735159	FEDERAL 11-11-9-17	11	090S	170E	14287 to 14844	9/20/2005
4304735160	FEDERAL 15-11-9-17	11	090S	170E	14302 to 14844	9/20/2005
4304735295	FEDERAL 3-11-9-17	11	090S	170E	14258 to 14844	9/20/2005
4304735497	FEDERAL 16-11-9-17	11	090S	170E	14568 to 14844	9/20/2005
4304735498	FEDERAL 14-11-9-17	11	090S	170E	14621 to 14844	9/20/2005
4304735500	FEDERAL 10-11-9-17	11	090S	170E	14587 to 14844	9/20/2005
4304735501	FEDERAL 8-11-9-17	11	090S	170E	14578 to 14844	9/20/2005
4304735502	FEDERAL 2-11-9-17	11	090S	170E	14588 to 14844	9/20/2005
4304735769	FEDERAL 6-11-9-17	11	090S	170E	14595 to 14844	9/20/2005
4304735162	FEDERAL 3-12-9-17	12	090S	170E	14343 to 14844	9/20/2005
4304735163	FEDERAL 1-12-9-17	12	090S	170E	14361 to 14844	9/20/2005
4304735164	FEDERAL 5-12-9-17	12	090S	170E	14344 to 14844	9/20/2005
4304735165	FEDERAL 7-12-9-17	12	090S	170E	14347 to 14844	9/20/2005
4304735166	FEDERAL 9-12-9-17	12	090S	170E	14391 to 14844	9/20/2005
4304735167	FEDERAL 11-12-9-17	12	090S	170E	14345 to 14844	9/20/2005
4304735168	FEDERAL 13-12-9-17	12	090S	170E	14305 to 14844	9/20/2005
4304735169	FEDERAL 15-12-9-17	12	090S	170E	14346 to 14844	9/20/2005
4304735516	FEDERAL 16-12-9-17	12	090S	170E	14569 to 14844	9/20/2005
4304735517	FEDERAL 14-12-9-17	12	090S	170E	14500 to 14844	9/20/2005
4304735518	FEDERAL 12-12-9-17	12	090S	170E	14497 to 14844	9/20/2005
4304735519	FEDERAL 10-12-9-17	12	090S	170E	14482 to 14844	9/20/2005
4304735520	FEDERAL 4-12-9-17	12	090S	170E	14553 to 14844	9/20/2005
4304735748	FEDERAL 8-12-9-17	12	090S	170E	14483 to 14844	9/20/2005
4304735749	FEDERAL 6-12-9-17	12	090S	170E	14498 to 14844	9/20/2005
4304735750	FEDERAL 2-12-9-17	12	090S	170E	14484 to 14844	9/20/2005

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-79013
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
3. ADDRESS OF OPERATOR: Rt 3 Box 3630, Myton, UT, 84052		8. WELL NAME and NUMBER: FEDERAL 6-11-9-17
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2046 FNL 2082 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 11 Township: 09.0S Range: 17.0E Meridian: S		9. API NUMBER: 43047357690000
PHONE NUMBER: 435 646-4825 Ext		9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 7/31/2013	<input type="checkbox"/> ALTER CASING	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE TUBING	
	<input checked="" type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> CONVERT WELL TYPE	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The subject well has been converted from a producing oil well to an injection well on 07/30/2013. Initial MIT on the above listed well. On 07/31/2013 the casing was pressured up to 1590 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA# UT22197-10100		
NAME (PLEASE PRINT) Lucy Chavez-Naupoto		PHONE NUMBER 435 646-4874
SIGNATURE N/A		TITLE Water Services Technician
DATE 8/9/2013		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 12, 2013

Mechanical Integrity Test

Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency
Underground Injection Control Program
999 18th Street, Suite 500 Denver, CO 80202-2466

EPA Witness: _____

Date: 7 13 11 13Test conducted by: BART Stubbbs

Others present: _____

Well Name: <u>Fed 6-11-9-17</u>	Type: ER SWD	Status: AC TA UC
Field: <u>Monument Butte</u>		
Location: <u>10</u>	Sec: <u>11</u> T <u>9</u> N <u>(S)</u> R <u>17(E)</u> W	County: <u>Uintah</u> State: <u>Utah</u>
Operator: <u>Newfield Production</u>		
Last MIT: <u>1</u>	Maximum Allowable Pressure: <u>1040</u>	PSIG

Is this a regularly scheduled test?

☐ Yes ☒ No

Initial test for permit?

☒ Yes ☐ No

Test after well rework?

☐ Yes ☒ No

Well injecting during test?

☐ Yes ☒ No

If Yes, rate: _____ bpd

Pre-test casing/tubing annulus pressure: 1590/0 psig


MIT DATA TABLE	Test #1	Test #2	Test #3
TUBING PRESSURE			
Initial Pressure	<u>0</u> psig	psig	psig
End of test pressure	<u>0</u> psig	psig	psig
CASING / TUBING ANNULUS PRESSURE			
0 minutes	<u>1590</u> psig	psig	psig
5 minutes	<u>1590</u> psig	psig	psig
10 minutes	<u>1590</u> psig	psig	psig
15 minutes	<u>1590</u> psig	psig	psig
20 minutes	<u>1590</u> psig	psig	psig
25 minutes	<u>1590</u> psig	psig	psig
30 minutes	<u>1590</u> psig	psig	psig
_____ minutes	psig	psig	psig
_____ minutes	psig	psig	psig
RESULT	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Does the annulus pressure build back up after the test? ☐ Yes ☒ No

MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: _____



Daily Activity Report

Format For Sundry

FEDERAL 6-11-9-17

5/1/2013 To 9/30/2013

7/31/2013 Day: 3

Conversion

WWS #7 on 7/31/2013 - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x 22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x 22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - crew travel & safety meeting, flush w/ 50 bw ld 54 - 4 per 3/4", 6 - 1 1/2", WT bars & pump x/o to tbg, eq ndwh release TAC NU BOP ru tbg eq tooh tallying tbg, breaking, inspecting, & green doping every connection w/ 119 jts 2 7/8" J-55 tbg, LD 48 jts, TAC, 2 jts, SN, 2 jts, nc flushed 1 more time w/30 bw, tih w/ 2 3/8" wl entry guide, x/n nipple 1.875 profile, 2 3/8" tbg sub, 2 7/8" x 2 3/8" x/over, 5 1/2" AS-1X pkr, on-off tool, 2 7/8" SN, 119 jts 2 7/8" J-55 TBG pump 15 bw, drop SV psi test to 3000 w/20 bw @ 4:15, lost 250 psi @ 5:25, psi back to 3000, lost 100 psi by 6:20, SDFN - crew travel & safety meeting, flush w/ 50 bw ld 54 - 4 per 3/4", 6 - 1 1/2", WT bars & pump x/o to tbg, eq ndwh release TAC NU BOP ru tbg eq tooh tallying tbg, breaking, inspecting, & green doping every connection w/ 119 jts 2 7/8" J-55 tbg, LD 48 jts, TAC, 2 jts, SN, 2 jts, nc flushed 1 more time w/30 bw, tih w/ 2 3/8" wl entry guide, x/n nipple 1.875 profile, 2 3/8" tbg sub, 2 7/8" x 2 3/8" x/over, 5 1/2" AS-1X pkr, on-off tool, 2 7/8" SN, 119 jts 2 7/8" J-55 TBG pump 15 bw, drop SV psi test to 3000 w/20 bw @ 4:15, lost 250 psi @ 5:25, psi back to 3000, lost 100 psi by 6:20, SDFN - crew travel & safety meeting, flush w/ 50 bw ld 54 - 4 per 3/4", 6 - 1 1/2", WT bars & pump x/o to tbg, eq ndwh release TAC NU BOP ru tbg eq tooh tallying tbg, breaking, inspecting, & green doping every connection w/ 119 jts 2 7/8" J-55 tbg, LD 48 jts, TAC, 2 jts, SN, 2 jts, nc flushed 1 more time w/30 bw, tih w/ 2 3/8" wl entry guide, x/n nipple 1.875 profile, 2 3/8" tbg sub, 2 7/8" x 2 3/8" x/over, 5 1/2" AS-1X pkr, on-off tool, 2 7/8" SN, 119 jts 2 7/8" J-55 TBG pump 15 bw, drop SV psi test to 3000 w/20 bw @ 4:15, lost 250 psi @ 5:25, psi back to 3000, lost 100 psi by 6:20, SDFN - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x

22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x 22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x 22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - Crew travel & safety mtg, SITP 2600 psi - good test- bleed off tbg RU & RIH w/sandline, Ret SV POOH & RD sandline, mix 20 gall pkr fluid w/ 60bbls fresh water, pump 50 bbls down csg, ND BOP set pkr @ 3950 for 15000# tension, SN @ 3943 x/n @ 3958 EOT @ 3958 51' above top perf, NU injection tree, psi test csg to 1500 psi w/10 bbls @10:20 hold for 50 min - good test- RD rig - crew travel & safety meeting, flush w/ 50 bw ld 54 - 4 per 3/4", 6 - 1 1/2", WT bars & pump x/o to tbg, eq ndwh release TAC NU BOP ru tbg eq tooh tallying tbg, breaking, inspecting, & green doping every connection w/ 119 jts 2 7/8" J-55 tbg, LD 48 jts, TAC, 2 jts, SN, 2 jts, nc flushed 1 more time w/30 bw, tih w/ 2 3/8" wl entry guide, x/n nipple 1.875 profile, 2 3/8" tbg sub, 2 7/8" x 2 3/8" x/over, 5 1/2" AS-1X pkr, on-off tool, 2 7/8" SN, 119 jts 2 7/8" J-55 TBG pump 15 bw, drop SV psi test to 3000 w/20 bw @ 4:15, lost 250 psi @ 5:25, psi back to 3000, lost 100 psi by 6:20, SDFN - crew travel & safety meeting, flush w/ 50 bw ld 54 - 4 per 3/4", 6 - 1 1/2", WT bars & pump x/o to tbg, eq ndwh release TAC NU BOP ru tbg eq tooh tallying tbg, breaking, inspecting, & green doping every connection w/ 119 jts 2 7/8" J-55 tbg, LD 48 jts, TAC, 2 jts, SN, 2 jts, nc flushed 1 more time w/30 bw, tih w/ 2 3/8" wl entry guide, x/n nipple 1.875 profile, 2 3/8" tbg sub, 2 7/8" x 2 3/8" x/over, 5 1/2" AS-1X pkr, on-off tool, 2 7/8" SN, 119 jts 2 7/8" J-55 TBG pump 15 bw, drop SV psi test to 3000 w/20 bw @ 4:15, lost 250 psi @ 5:25, psi back to 3000, lost 100 psi by 6:20, SDFN - road rig from 4-1-9-16 to 6-11-9-17, spot rig, Benco has dead man anchor truck bit stuck in ground, work 1 hr before unstuck, cont drilling & installing 2 dead mand achors & pull test on all 4, pump 60 bbls down csg, bleed well off, RU rig, RD PU, LD 1 1/2" x 22' polish rod, 2', 4', 6', 8' x 3/4" ponys, 5 - 4 per 3/4", #6 parted - body break, TIH w/ overshot & rods latch onto fish unseat pump flush rods w/ 50 bbls, seat pump psi test tbg to 3000psi w/ 5 BW - good test- LD 99 4 per 3/4", 62 slk 3/4", flushed 2 more times w/ 60 bw, swi, ready to flush Mon AM **Finalized**

Daily Cost: \$0

Cumulative Cost: \$27,180

8/1/2013 Day: 4

Conversion

Rigless on 8/1/2013 - Conduct initial MIT - Initial MIT on the above listed well. On 07/31/2013 the casing was pressured up to 1590 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA# UT22197-10100 - Initial MIT on the above listed well. On 07/31/2013 the casing was pressured up to 1590 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA# UT22197-10100 **Finalized**

Daily Cost: \$0

Cumulative Cost: \$52,514

Pertinent Files: [Go to File List](#)

Spud Date: 2-5-05

Put on Production: 3-14-05

GL: 5070' KB: 5082'

Federal 6-11-9-17

Injection Wellbore
DiagramInitial Production: 129 BOPD,
7 MCFD, 150 BWPDSURFACE CASING

CSG SIZE: 8-5/8"

GRADE: J-55

WEIGHT: 24#

LENGTH: 7 jts, (301.9')

DEPTH LANDED: 313.75' KB

HOLE SIZE: 12-1/4"

CEMENT DATA: 160 sxs Class "G" cmt, est 3 bbls cmt to surf.

PRODUCTION CASING

CSG SIZE: 5-1/2"

GRADE: J-55

WEIGHT: 15.5#

LENGTH: 129 jts, (5771.12')

DEPTH LANDED: 5784.37' KB

HOLE SIZE: 7-7/8"

CEMENT DATA: 285 sxs Prem. Lite II & 400 sxs 50/50 POZ.

CEMENT TOP AT: 90'

TUBING

SIZE/GRADE/WT.: 2-7/8" / J-55 / 6.5#

NO. OF JOINTS: 119 jts (3931.9')

SEATING NIPPLE: 2-7/8" (1.10')

SN LANDED AT: 3943.9' KB

ON/OFF TOOL AT: 3945'

ARROW #1 PACKER CE AT: 3950.14'

XO 2-3/8 x 2-7/8 J-55 AT: 3953.8'

TBG PUP 2-3/8 J-55 AT: 3954.3'

X/N NIPPLE AT: 3958.4'

TOTAL STRING LENGTH: EOT @ 3959.99'

FRAC JOB

4-11-05 5374-5574'

Frac CP sand as follows:65731#s 20/40 sand in 523 bbls Lightning
17 frac fluid. Treated @ avg press of 1505 psi
w/avg rate of 24.8 BPM, ISIP 1550 psi. Calc
flush: 5372 gal. Actual flush: 5376 gal.

4-11-05 4824-5023'

Frac A1, A3, B2 sand as follows:59954#s 20/40 sand in 485 bbls Lightning
17 frac fluid. Treated @ avg press of 2017 psi
w/avg rate of 24.5 BPM, ISIP 2440 psi. Calc
flush: 4822 gal. Actual flush: 4872 gal.

4-12-05 4679-4696'

Frac C, sand as follows:85142#s 20/40 sand in 622 bbls Lightning
17 frac fluid. Treated @ avg press of 2913 psi
w/avg rate of 23.8 BPM, ISIP 3920 psi. Calc
flush: 4677 gal. Actual flush: 4552 gal.

4-12-05 4559-4572'

D2 sands would not break down - skipped
this stage

4-12-05 4009-4038'

Frac GB4 & GB6 sand as follows:67072#s 20/40 sand in 494 bbls Lightning
17 frac fluid. Treated @ avg press of 1951 psi
w/avg rate of 23.6 BPM, ISIP 2000 psi. Calc
flush: 4007 gal. Actual flush: 3798 gal.

12-4-06

Parted Rods: Updated rod and tubing detail.

4-20-10

Tubing leak. Updated rod and tubing detail.

07/30/13

Convert to Injection Well

07/31/13

Conversion MIT Finalized - update tbg
detail

SN @ 3944'

On Off Tool @ 3945'

Packer @ 3950'

X/N Nipple @ 3958'

EOT @ 3960'

4009-4018'

4032-4038'

4559-4572'

4679-4696'

4824-4828'

4952-4956'

4986-4992'

5016-5023'

5374-5380'

5422-5426'

5432-5437'

5528-5534'

5570-5574'

PBTD @ 5738'

SHOE @ 5784'

TD @ 5794'

PERFORATION RECORD

3-30-05	5374-5380'	4 JSPF	24 holes
3-30-05	5422-5426'	4 JSPF	16 holes
3-30-05	5432-5437'	4 JSPF	20 holes
3-30-05	5528-5534'	4 JSPF	24 holes
3-30-05	5570-5574'	4 JSPF	16 holes
4-11-05	4824-4828'	4 JSPF	16 holes
4-11-05	4952-4956'	4 JSPF	16 holes
4-11-05	4986-4992'	4 JSPF	24 holes
4-11-05	5016-5023'	4 JSPF	28 holes
4-11-05	4679-4696'	4 JSPF	68 holes
4-12-05	4559-4572'	4 JSPF	52 holes
4-12-05	4009-4018'	4 JSPF	36 holes
4-12-05	4032-4038'	4 JSPF	24 holes



Federal 6-11-9-17
2046' FNL & 2082' FWL
SE/NW Section 11-T9S-R17E
Uintah Co, Utah
API #43-047-35769; Lease #UTU-79013

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-79013
1. TYPE OF WELL Water Injection Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052		8. WELL NAME and NUMBER: FEDERAL 6-11-9-17
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2046 FNL 2082 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 11 Township: 09.0S Range: 17.0E Meridian: S		9. API NUMBER: 43047357690000
PHONE NUMBER: 435 646-4825 Ext		9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
COUNTY: Uintah		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 8/8/2013	<input type="checkbox"/> ALTER CASING	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE TUBING	
	<input checked="" type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> CONVERT WELL TYPE	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input type="checkbox"/> OTHER: <input style="width: 100px;" type="text"/>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. <div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> The above reference well was put on injection at 9:00 AM on 08/08/2013. EPA # UT22197-10100 </div> <div style="width: 35%; text-align: center;"> Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 13, 2013 </div> </div>		
NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBER 435 646-4874	TITLE Water Services Technician
SIGNATURE N/A	DATE 8/9/2013	